

| Ref # | Hits | Search Query   | DBs   | Default Operator | Plurals | Time Stamp          |
|-------|------|--|---|------------------|---------|---------------------|
| S2    | 7    | S1 and (ddos or dos)   | US-PGPUB<br>; USPAT;<br>EPO; JPO;<br>DERWENT<br>; IBM_TDB | OR               | ON      | 2005/02/14<br>16:39 |
| S4    | 27   | ("5032979"   "5101402"  <br>"5278901"   "5414833"  <br>"5448724"   "5488715"  <br>"5524238"   "5555377"  <br>"5557742"   "5606668"  <br>"5621889"   "5634008"  <br>"5699513"   "5751964"  <br>"5793763"   "5796942"  <br>"5798706"   "5805801"  <br>"5826014"   "5886643"  <br>"5919257"   "5931946"  <br>"5991881"   "6088804"  <br>"6108310"   "6128642"  <br>"6279113").PN. | US-PGPUB<br>; USPAT;<br>USOCR                             | OR               | ON      | 2005/02/14<br>16:52 |
| S1    | 48   | (monitor\$3 or screen\$3 or<br>profil\$3) near5 (packet) same<br>(heuristic or hierarch\$4) and<br>@ad<"20010816"  | US-PGPUB<br>; USPAT;<br>EPO; JPO;<br>DERWENT<br>; IBM_TDB | OR               | ON      | 2005/02/14<br>16:59 |
| S6    | 10   | (monitor\$3 or screen\$3 or<br>profil\$3) near5 (packet) same<br>(source or address) same history<br>and @ad<"20010816"  | US-PGPUB<br>; USPAT;<br>EPO; JPO;<br>DERWENT<br>; IBM_TDB | OR               | ON      | 2005/02/14<br>17:01 |
| S7    | 8    | S5 and (ddos or dos or (denial<br>adj service))  | US-PGPUB<br>; USPAT;<br>EPO; JPO;<br>DERWENT<br>; IBM_TDB | OR               | ON      | 2005/02/14<br>17:01 |
| S5    | 75   | (monitor\$3 or screen\$3 or<br>profil\$3) near5 (packet) same<br>(source or address) same activity<br>and @ad<"20010816"   | US-PGPUB<br>; USPAT;<br>EPO; JPO;<br>DERWENT<br>; IBM_TDB | OR               | ON      | 2005/02/14<br>17:08 |
| S8    | 82   | (monitor\$3 or screen\$3 or<br>profil\$3) near5 (packet) same<br>(source or address) with value<br>and @ad<"20010816"  | US-PGPUB<br>; USPAT;<br>EPO; JPO;<br>DERWENT<br>; IBM_TDB | OR               | ON      | 2005/02/14<br>17:09 |

|     |      |  |   |    |     |                     |
|-----|------|--|---|----|-----|---------------------|
| S12 | 3    | (monitor\$3 or screen\$3 or profil\$3) near5 (packet) same (source or address) same (rule adj based) and @ad<"20010816"            | US-PGPUB<br>; USPAT;<br>EPO; JPO;<br>DERWENT<br>; IBM_TDB           | OR | ON  | 2005/02/14<br>17:10 |
| S10 | 2    | (monitor\$3 or screen\$3 or profil\$3) near5 (packet) same (source or address) same (rule adj base) and @ad<"20010816"             | US-PGPUB<br>; USPAT;<br>EPO; JPO;<br>DERWENT<br>; IBM_TDB           | OR | ON  | 2005/02/14<br>17:10 |
| S9  | 0    | (monitor\$3 or screen\$3 or profil\$3) near5 (packet) same (source or address) with value same (rule adj base) and @ad<"20010816"  | US-PGPUB<br>; USPAT;<br>EPO; JPO;<br>DERWENT<br>; IBM_TDB           | OR | ON  | 2005/02/14<br>17:10 |
| S13 | 92   | ("5781550").URPN.  | USPAT   | OR | ON  | 2005/02/14<br>17:12 |
| S14 | 444  | (monitor\$3 or screen\$3 or profil\$3 or filter\$3) near5 (packet) same (source or address) with (based) and @ad<"20010816"        | US-PGPUB<br>; USPAT;<br>EPO; JPO;<br>DERWENT<br>; IBM_TDB           | OR | ON  | 2005/02/14<br>17:13 |
| S11 | 2    | (monitor\$3 or screen\$3 or profil\$3) near5 (packet) same (source or address) with value same (rule adj based) and @ad<"20010816" | US-PGPUB<br>; USPAT;<br>EPO; JPO;<br>DERWENT<br>; IBM_TDB           | OR | ON  | 2005/02/14<br>17:13 |
| S16 | 3624 | (709/224).CCLS.  | US-PGPUB<br>; USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT<br>; IBM_TDB | OR | OFF | 2005/02/14<br>17:14 |
| S17 | 1689 | (709/225).CCLS.  | US-PGPUB<br>; USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT<br>; IBM_TDB | OR | OFF | 2005/02/14<br>17:14 |
| S19 | 7984 | S16 or S17 or S18  | US-PGPUB<br>; USPAT;<br>EPO; JPO;<br>DERWENT<br>; IBM_TDB           | OR | ON  | 2005/02/14<br>17:15 |
| S18 | 3317 | (713/201).CCLS.  | US-PGPUB<br>; USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT<br>; IBM_TDB | OR | OFF | 2005/02/14<br>17:15 |

|     |      |  |   |    |     |                     |
|-----|------|--|---|----|-----|---------------------|
| S20 | 104  | S19 and S15  | US-PGPUB<br>; USPAT;<br>EPO; JPO;<br>DERWENT<br>; IBM_TDB           | OR | ON  | 2005/02/14<br>17:15 |
| S15 | 656  | (screen\$3 or filter\$3 or drop\$4<br>or pass\$3) near5 (packet) same<br>(source or address) with (based)<br>and @ad<"20010816"  | US-PGPUB<br>; USPAT;<br>EPO; JPO;<br>DERWENT<br>; IBM_TDB           | OR | ON  | 2005/02/14<br>17:48 |
| S22 | 18   | S21 and S19  | US-PGPUB<br>; USPAT;<br>EPO; JPO;<br>DERWENT<br>; IBM_TDB           | OR | ON  | 2005/02/14<br>17:49 |
| S21 | 145  | (screen\$3 or filter\$3 or drop\$4<br>or pass\$3) near5 (packet) same<br>(source or address) near4 value<br>and @ad<"20010816"   | US-PGPUB<br>; USPAT;<br>EPO; JPO;<br>DERWENT<br>; IBM_TDB           | OR | ON  | 2005/02/15<br>10:18 |
| S23 | 1    | (screen\$3 or filter\$3 or drop\$4<br>or pass\$3) near5 (packet) same<br>(source or address) same<br>(previous or prior or past) adj<br>(history or activity) and<br>@ad<"20010816"                          | US-PGPUB<br>; USPAT;<br>EPO; JPO;<br>DERWENT<br>; IBM_TDB           | OR | ON  | 2005/02/15<br>10:19 |
| S25 | 118  | (screen\$3 or filter\$3 or drop\$4<br>or pass\$3) near5 (packet) same<br>(source or address) and (value or<br>score) same (previous\$2 or prior<br>or past) with received with<br>packets and @ad<"20010816" | US-PGPUB<br>; USPAT;<br>EPO; JPO;<br>DERWENT<br>; IBM_TDB           | OR | ON  | 2005/02/15<br>10:22 |
| S24 | 0    | (screen\$3 or filter\$3 or drop\$4<br>or pass\$3) near5 (packet) same<br>(source or address) and (value or<br>score) near5 (previous or prior<br>or past) adj (history or activity)<br>and @ad<"20010816"    | US-PGPUB<br>; USPAT;<br>EPO; JPO;<br>DERWENT<br>; IBM_TDB           | OR | ON  | 2005/02/15<br>10:22 |
| S32 | 8005 | S29 or S30 or S31  | US-PGPUB<br>; USPAT;<br>EPO; JPO;<br>DERWENT<br>; IBM_TDB           | OR | ON  | 2005/02/15<br>10:43 |
| S29 | 3637 | (709/224).CCLS.  | US-PGPUB<br>; USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT<br>; IBM_TDB | OR | OFF | 2005/02/15<br>10:43 |

|     |        |   |   |    |     |                     |
|-----|--------|---|---|----|-----|---------------------|
| S31 | 3324   | (713/201).CCLS.   | US-PGPUB<br>; USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT<br>; IBM_TDB | OR | OFF | 2005/02/15<br>10:43 |
| S28 | 2467   | S27 and (ddos or dos or (denial<br>adj service))  | US-PGPUB<br>; USPAT;<br>EPO; JPO;<br>DERWENT<br>; IBM_TDB           | OR | ON  | 2005/02/15<br>10:43 |
| S30 | 1692   | (709/225).CCLS.   | US-PGPUB<br>; USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT<br>; IBM_TDB | OR | OFF | 2005/02/15<br>10:43 |
| S3  | 7      | S1 and (ddos or dos or (denial<br>adj service))   | US-PGPUB<br>; USPAT;<br>EPO; JPO;<br>DERWENT<br>; IBM_TDB           | OR | ON  | 2005/02/15<br>10:43 |
| S27 | 106300 | (source or address) near5 (value<br>or score) and @ad<"20010816"  | US-PGPUB<br>; USPAT;<br>EPO; JPO;<br>DERWENT<br>; IBM_TDB           | OR | ON  | 2005/02/15<br>12:39 |
| S33 | 57     | S28 and S32   | US-PGPUB<br>; USPAT;<br>EPO; JPO;<br>DERWENT<br>; IBM_TDB           | OR | ON  | 2005/02/15<br>12:40 |
| S35 | 13     | S34 and S32   | US-PGPUB<br>; USPAT;<br>EPO; JPO;<br>DERWENT<br>; IBM_TDB           | OR | ON  | 2005/02/15<br>12:40 |
| S26 | 57     | (screen\$3 or filter\$3 or drop\$4<br>or pass\$3) near5 (packet) same<br>(source or address) and (value or<br>score) same (previous\$2 or prior<br>or past) near5 received with<br>packets and @ad<"20010816" | US-PGPUB<br>; USPAT;<br>EPO; JPO;<br>DERWENT<br>; IBM_TDB           | OR | ON  | 2005/02/15<br>12:42 |
| S36 | 26106  | (screen\$3 or filter\$3 or drop\$4<br>or pass\$3 or monitor\$3) near5<br>(packet)   | US-PGPUB<br>; USPAT;<br>EPO; JPO;<br>DERWENT<br>; IBM_TDB           | OR | ON  | 2005/02/15<br>12:43 |

|     |     |  |   |    |    |                     |
|-----|-----|--|---|----|----|---------------------|
| S37 | 81  | S34 and S36  | US-PGPUB<br>; USPAT;<br>EPO; JPO;<br>DERWENT<br>; IBM_TDB | OR | ON | 2005/02/15<br>12:43 |
| S38 | 8   | S37 and firewall   | US-PGPUB<br>; USPAT;<br>EPO; JPO;<br>DERWENT<br>; IBM_TDB | OR | ON | 2005/02/15<br>12:49 |
| S40 | 5   | S32 and S39  | US-PGPUB<br>; USPAT;<br>EPO; JPO;<br>DERWENT<br>; IBM_TDB | OR | ON | 2005/02/15<br>12:50 |
| S39 | 44  | dynamic near5 (screen\$3 or<br>filter\$3) near2 address  | US-PGPUB<br>; USPAT;<br>EPO; JPO;<br>DERWENT<br>; IBM_TDB | OR | ON | 2005/02/15<br>12:52 |
| S41 | 32  | dynamic near5 (screen\$3 or<br>filter\$3) near2 address and<br>@ad<"20010816"  | US-PGPUB<br>; USPAT;<br>EPO; JPO;<br>DERWENT<br>; IBM_TDB | OR | ON | 2005/02/15<br>12:53 |
| S34 | 279 | ((source or orgin) near2 address)<br>same determin\$3 near4 (value or<br>score) and @ad<"20010816"                       | US-PGPUB<br>; USPAT;<br>EPO; JPO;<br>DERWENT<br>; IBM_TDB | OR | ON | 2005/02/15<br>13:54 |
| S42 | 11  | ((source or orgin) near2 address)<br>same determin\$3 near4 (history<br>or profile) and<br>@ad<"20010816"                | US-PGPUB<br>; USPAT;<br>EPO; JPO;<br>DERWENT<br>; IBM_TDB | OR | ON | 2005/02/15<br>13:55 |
| S43 | 40  | ((source or orgin) near2 address)<br>near4 (history or profile) and<br>@ad<"20010816"                                    | US-PGPUB<br>; USPAT;<br>EPO; JPO;<br>DERWENT<br>; IBM_TDB | OR | ON | 2005/02/15<br>14:05 |
| S44 | 29  | ((source or orgin) near2 address)<br>near4 (history or profile) and<br>((ip adj header) or packet) and<br>@ad<"20010816" | US-PGPUB<br>; USPAT;<br>EPO; JPO;<br>DERWENT<br>; IBM_TDB | OR | ON | 2005/02/15<br>14:06 |

|     |    |  |   |    |     |                     |
|-----|----|--|---|----|-----|---------------------|
| S45 | 63 | ("4922486"   "5136580"  <br>"5241594"   "5274631"  <br>"5280480"   "5423002"  <br>"5430715"   "5555244"  <br>"5570361"   "5583862"  <br>"5592470"   "5594732"  <br>"5617417"   "5655077"  <br>"5659542"   "5671354"  <br>"5673265"   "5684950"  <br>"5699521"   "5737526"  <br>"5740171"   "5740176"  <br>"5787253"   "5793763"  <br>"5799017"   "5802047"  <br>"5802316"   "5805595"  <br>"5815665"   "5835727"  <br>"5838683"   "5854901"  <br>"5867495"   "5883893"  <br>"5933625"   "5944824"  <br>"5959990"   "5991810"  <br>"5991828"   "6009103"  <br>"6011909"   "6011910"  <br>"6018770"   "6021496"  <br>"6026086"   "6026441"  <br>"6028848"   "6029203"  <br>"6047325"   "6047376"  <br>"6055236"   "6065049"  <br>"6065064"   "6091951"  <br>"6092196"   "6098106"  <br>"6119160"   "6141687"  <br>"6157636"   "6160808"  <br>"6226678"   "6269099"  <br>"6317594").PN. | US-PGPUB<br>; USPAT;<br>USOCR                                       | OR | ON  | 2005/02/15<br>14:45 |
| S46 | 6  | (("6,321,338") or ("6,327,242")<br>or ("6,691,232")).PN.   | US-PGPUB<br>; USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT<br>; IBM_TDB | OR | OFF | 2005/02/15<br>14:45 |
| S47 | 14 | ("6321338").URPN.  | USPAT   | OR | ON  | 2005/02/15<br>14:56 |